


Detail TP-1 - Tree Protection Detail.

Trunk Diameter (DBH) ¹	Minimum Tree Protection Zone (MTPZ) Distances Required ²	Critical Root Zone (CRZ) Distances Required ^{3,4}
< 10 cm	1.8 m	1.8 m
11 - 40 cm	2.4 m	4.0 m
41 - 50 cm	3.0 m	5.0 m
51 - 60 cm	3.6 m	6.0 m
61 - 70 cm	4.2 m	7.0 m
71 - 80 cm	4.8 m	8.0 m
81 - 90 cm	5.4 m	9.0 m
91 - 100+ cm	6.0 m	10.0 m



NOTES:

- The roots of a tree can extend from the trunk to approximately 2-3 times the distance of the drip line.
- Diameter at breast height (DBH) is the measurement of tree trunk taken at 1.4 metres above ground.
- Minimum Tree Protection Zone and Critical Root Zone distances are to be measured from the outside edge of the tree base towards the drip line and may be limited by an existing paved surface, provided the existing paved surface remains intact throughout the construction work and is subject to Section 6 of this specification.
- Where work is being performed beyond the Minimum Tree Protection Zone but within the Critical Root Zone the works are subject to Section 8 of this specification.

TREE PROTECTION BARRIER

- The required barrier is a 1.2 metre (4 ft) high orange plastic web snow fencing on 2" x 4" frame. Where orange plastic web snow fencing creates a restriction to sightlines, page wuue fencing with reflective tape can be used.
- Tree protection barriers are to be erected prior to the commencement of any construction or grading activities on the site and are to remain in place throughout the duration of construction operations with breaks and unsupported sections repaired immediately. Tree protection may not be removed prior to the completion of construction without written authorization from the City Arborist.
- All supports and bracing used to safely secure the barrier should be located outside the MTPZ. All supports and bracing should minimize damage to roots.
- Where some fill or excavated material must be temporarily located near a MTPZ, a wooden barrier with silt fencing must be used to ensure no material enters the MTPZ.
- No materials or fill may be stored within the MTPZ.
- Equipment or vehicles shall not be operated, parked, repaired, or refueled within the MTPZ.
- No construction activity, grade changes, surface treatment or excavations of any kind is permitted within the MTPZ without written authorization from the City Arborist.
- A laminated Minimum Tree Protection Zone sign (See Detail TP-3 - Minimum Tree Protection Zone Sign) must be attached to the side of the Tree Protection where it will be visible by persons entering the site. Minimum size must be 10"x14".

City of Burlington

TREE PROTECTION ZONE (TPZ)

No equipment or vehicles shall be operated, parked, repaired or refueled within the Tree Protection Zone.

No construction activity, grade changes, surface treatment or excavations of any kind is permitted within the Tree Protection Zone.

No materials or fill may be stored within the Tree Protection Zone.

This tree protection barrier must not be removed prior to the completion of construction without written authorization from the City of Burlington, Urban Forestry Department.

For information, contact:
City of Burlington, Development and Infrastructure Division,
905-335-7642.

LEGEND

- Tree Inventory**
Refer to Table 1 of report dated 18 October 2017 for complete tree inventory information. All trees greater than 15cm DBH and within six metres of the subject property and trees of all sizes within the road allowance were included in the inventory.
- Tree Removals**
The removal of 2 trees will be required to accommodate the proposed development. Proposed tree removals are indicated with RED labels. The removal of one hazard tree is recommended. Hazard tree removals are indicated with ORANGE labels.
- Tree Preservation**
Preservation of all remaining trees will be possible with appropriate tree protection measures. Trees identified for preservation are indicated with GREEN labels. Minimum Tree Protection zones and required Tree Preservation Fencing are indicated in MAGENTA. TPZ circles represent minimum distances for construction and grading near trees. Refer to Tree Protection Plan Notes for preservation details.
- Tree Label (GREEN) preservation recommended
 - Minimum Tree Protection Zone (mTPZ), with radius from edge of tree
 - Required Tree Preservation Fencing
 - Tree Label (RED) removal recommended
 - Surveyed Tree Location
 - Tree Label (ORANGE) hazard tree, removal recommended
 - Approximate Tree Location
 - Property Line (BLUE)

TREE PROTECTION PLAN NOTES

Prior to site disturbance the owner must confirm that no migratory birds are making use of the site for nesting. The owner must ensure that the works are in conformance with the Migratory Bird Convention Act and that no migratory bird nests will be impacted by the proposed work. It is the applicant's responsibility to discuss potential tree injury of trees on shared property lines with their neighbours. Should such trees be injured to the point of instability or death the applicant may be held responsible for removal and such issues would be dealt with in civil court or through negotiation. The applicant would be required to replace such trees to the satisfaction of the City of Burlington.

TREE PROTECTION ZONE: No construction activity including grade changes, surface treatments or excavations of any kind is permitted within the area identified on the Tree Protection Plan or Site Plan as a Tree Protection Zone (TPZ). No root cutting is permitted. No storage of materials or fill is permitted within the TPZ. No movement or storage of vehicles or equipment is permitted within the TPZ. Grade changes are not permitted within established TPZ. The area(s) identified as a TPZ must remain undisturbed at all times.

TREE PROTECTION BARRIERS:
For City-owned Trees:
Tree protection barriers for trees situated on the City road allowance where visibility must be maintained, can be 1.2m (4ft) high and consist of chain link, or orange plastic web snow fencing on a 2" x 4" wood frame. All supports and bracing used to secure the barrier should be located outside the TPZ. All supports and bracing should minimize damage to roots outside the TPZ. Where some fill or excavate has to be temporarily located near a tree protection barrier, plywood must be used to ensure no material enters the TPZ. If the TPZ needs to be reduced to facilitate construction access, the tree protection barrier must be maintained at a lesser distance and the exposed TPZ protected with plywood and wood chips. This must first be approved by the City of Burlington.

For trees on private property situated on or adjacent to construction sites:
Tree protection barriers must be installed around trees to be protected using plywood clad hoarding or an equivalent approved by the City of Burlington. All supports and bracing to safely secure the barrier should be outside the TPZ. All such supports and bracing should minimize damage to roots outside the TPZ.

General Note:
Prior to the commencement of any site activity the tree protection barriers specified on this plan must be installed and written notice provided to the City of Burlington. Established tree protection zones must not be used as construction access, storage or staging areas. The tree protection barriers must remain in effective condition until all site activities including landscaping are complete. Written notice must be provided to the City of Burlington prior to the removal of the tree protection barriers.

ARBORICULTURAL WORK:
Any roots or branches which extend beyond the TPZ indicated on this plan which require pruning, must be pruned by a qualified Arborist or other tree professional as approved by the City of Burlington. All pruning of tree roots and branches must be in accordance with good arboricultural standards. Roots located outside the TPZ that have received approval from the City of Burlington to be pruned must first be exposed by hand digging or by using a low pressure hydro vac method. This will allow a proper pruning cut and minimize tearing of the roots. The Arborist/tree professional retained to carry out crown or root pruning must contact the City of Burlington no less than 48 hours prior to conducting any specified work.

No.	Issue/Revisions	Date	By
1	Report Submission	18 Oct 17	AC
2			
3			

Base Data: Ashenurst, Nouwens & Associates Inc. (topo), Markay Homes (site plan)

KUNTZ FORESTRY CONSULTING Inc.
 146 Lakeshore Road West
 PO Box 1287 Lakeshore W PQ
 Oakville ON L6K 0B3
 T: 289 837 1871 F: 866 893 6390
 e: consulting@kuntzforestry.ca
 web: www.kuntzforestry.ca

Client
Markay Homes
 1176 Burnhamthorpe Road West
 Oakville, ON L6M 4L1

Property
1159 Bellview Crescent
 Burlington, Ontario

Existing Conditions, Proposed Site Plan
 Tree Inventory & Preservation Plan

Project	P1670	Figure	1
Date	18 October 2017		
Scale	1:350		