WALKERS LINE

EX. CENTRELINE

EX. MH 1
INV N: 90.403
INV S: 90.283

675mm DIA. CONC (65-D) STM. @ 0.54%

EX. MH 2
INV N: 89.917
INV S: 89.917

675mm DIA. CONC (65-D) STM. @ 0.66%

EX. CURB

EX. CONCRETE SIDEWALK

LIMIT OF DEVELOPMENT

EX. GRAVEL DRIVEWAY

EX. 1 STOREY BRICK DWELLING NO. 508

EX. 2 STOREY BRICK DWELLING NO. 496

EX. ASPHALT DRIVEWAY

EX. 1 STOREY BRICK DWELLING NO. 490

EX. DECK

EX. PERGOLA

EX. CONCRETE PAD

EX. SHED

EXT
A= 0.18
C= 0.37

100
A= 0.12
C= 0.50

101
A= 0.28
C= 0.33

DRAINAGE FROM TRIBUTARY 101 IS CONVEYED TO SOUTHWEST CORNER OF EXISTING 490 WALKERS LINE

LEGEND

- EXISTING STORM SEWER
- EXISTING STORM MANHOLE
- EXISTING CATCHBASIN
- EXISTING DOUBLE CATCHBASIN
- TRIBUTARY NAME
- AREA (HA)
- RUNOFF COEFFICIENT
- DRAINAGE BOUNDARY
- EXISTING OVERLAND FLOW DIRECTION
- EXISTING GROUND CONTOUR
- PROPERTY BOUNDARY

REVISION BLOCK

#	DATE	DESCRIPTION
1.	03/28/24	ISSUED FOR ZBA
2.	11/15/24	ISSUED FOR ZBA

REGISTERED PROFESSIONAL ENGINEER
B.JACKSON
100210382
Nov. 15, 2024
PROVINCE OF ONTARIO

KWA SITE DEVELOPMENT CONSULTING INC.
4063 Mainway Drive
Burlington, ON L7L 7A9

NORTH ARROW

METRIC SCALE
0 5 10 Meters
1:200

EXISTING DRAINAGE PLAN

HAIDER AL-DABBAGH
2381792 ONTARIO LTD.
490-508 WALKERS LINE
BURLINGTON, ON

PROJECT No: 2311 | DRAWN BY: BJ | CHECKED BY: RA

EDP